Basic Imagery Interpretation Report



NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

25X1

SHANGHAI HF COMMUNICATIONS FACILITY NAN-HSIANG

25X1

CHINA AUGUST 1969

Declass Review by NIMA/DOD

copy no. 115

INSTALLATION OR ACTIVITY NA	ME		COUNTRY	-
Shanghai HF C	ommunications Facility Nan	-hsiang	CH	_
JTM COORDINATES	GEOGRAPHIC COORDINATES			25X
NA	31-17-35N 121-18-00E			23/
MAP REFERENCE				
ACIC. US Air (SECRET)	Target Chart, Series 200,	Sheet 0492-2HL, 2d ed, Aug 64,	scale 1:200,	000
, , , , , , , , , , , , , , , , , , , ,		NEGATION DATE (If required)		
		NA		
				_

ABSTRACT

This report is a detailed description of the Shanghai High Frequency (HF) Communications Facility Nanhsiang. It includes photography of the facility and mensuration of significant features.

The facility contains three directive arrays, two double rhombic antennas, 23 rhombic antennas, and a support area.



BASIC DESCRIPTION

The Shanghai HF Communications Facility Nanhsiang is located 0.5 nautical miles (nm) west of Nanhsiang and 10 nm west of Shanghai, almost at sea level (elevation 25 feet). It contains 23 rhombic antennas, two double rhombic antennas, and three directive arrays which surround a support area (Figure 1). Except for a wall-enclosed transmitter building located within the support area, the facility is not secured. The facility was complete and operational when It has not been covered on high-resolution photofirst observed graphy since that date. Although the feeder connections and dissipation lines are not discernible on the rhombic antennas or the directive arrays, the spatial arrangement of the antennas (i.e., the absence of space diversity) strongly suggests a high frequency/broadcast transmitting capability. The presence of a large cooling pond (item 46) adjacent to the transmitter building (item 1), and the relatively large support area are characteristic of a transmitting facility. A commercial powerline enters the facility from the northeast.

Details of antennas and structures are given in Figure 1 and Tables 1 and 2. All antennas are expressed as having a forward and back azimuth of propagation, as feeder connections and dissipation lines cannot be seen.





FIGURE 1. SHANGHAI HF COMMUNICATIONS FAC



HAI HF COMMUNICATIONS FACILITY NANHSIANG

25X1

25X1

Table 1. Details of Antennas, Shanghai HF Communications Facility Nanhsiang (ante

B RC RD	Rhombie Rhombie Rhombie Rhombie Rhombie Rhombie	266 177 231 141 204 213	69 53 95 102	138 93	
B RC RD	Rhombie Rhombie Rhombie Rhombie Rhombie	231 141 204	53 95	93	ļ
D R E R F R G R H R	Rhombic Rhombic Rhombic Rhombic	231 141 204	95		
D R E R F R G R H R	Rhombic Rhombic Rhombic	141 204		125	
F R G R H R	Rhombic Rhombic		100	87	
G R H R	Rhombie	07.0	7 9	110	
H R		∠ ⊥3	94	116	
		130	63	73	
	Rhombic	152	71	81	
· I R	Rhombic	192	79	104	
	Rhombic	228	82	121	
K R	Rhombie	228	85	121	
L R	Rhombie	248	87	131	
M R	Rhombie	131	66	74	
N R	Rhombic	181	87	100	
O R	Rhombie	203	77	109	
	Rhombić	211	77	111	
Q D	Double rhombic	**			
	(end pole separation				
	equals 65 meters)*	215	122	120	
	Rhombic	184	85	103	
	Rhombic	195	68	102	
T D	Double rhombic				ĺ
	(end pole separation				ĺ
	equals 65 meters)*	205	114	111	ĺ
	Rhombic	231	81	123	ĺ
	Rhombic	152	71	82	ĺ
	Rhombie	152	71	86	ĺ
	Rhombie	148	67	82	ĺ
	Rhombie	152	70	81	ĺ
	Unidentified	- -			ĺ
	Jnidentified				
	Jnidentified				1
	Unidentified				
	Unidentified				
	Jnidentified				
	Unidentified				
	Jnidentified				
	Jnidentified				
II U	Jnidentified				1

25X1

TOP SECRET

Table 2. Details of Structures, Shanghai HF Communications Facility, Nanhsiang (item numbers keyed to Figure 1)

25X1

ity Nan	hsiang (antenna	designators k	eyed to Figu	re 1)	
eg th (m)*	Initial Great Circle Bearing (deg)***	Pole Height (m)*	Length of	Separation Antenna &	
(4117)	(408)	Tiergiro (m/*	Array (m)*	Reflectors	(m)*
38					
93					
²⁵ 37					
37					
10					
L6					
73 31					
D4					
21					
51					
31		_ 			
-7t				·	
20					
3 9					
.í					
0				_	
3					
2					
					1
					•
1					1
3					
11					
더 M U N 이 더 -					
7					
_					
-		23	41	5 8	
_		34 34	84	8	
-		61	80	8	
-		61	99 109	8	
-		61	109	8	
		61	102	8	
		61	94	9 9 8 8	
		61	80	9	
		61	67	8	
	J	[- 1	U	

Item	Description	Dimensions (m)*
,	m	
1	Transmitter building	3
a	Main section	50 x 12
b	West section	42 x 23
2	Building	22 x 15
3 4	Building	26 x 11
4	Building	16 x 7
5 6	Building	12 x 9
6	Building	11 x 7
7	Building	18 x 7
8	Building	
9	Building	
10		10 x 6
8.	Building	20 15
ъ	Building	22 x 15
. 11	Building	39 x 5 16 x 8
12		
	Building	33 x 5
13 14	Barracks	75 x 9
	Building	11 x 10
15	Barracks	59 x 6
16	Building	16 x 6
17	Building	16 x 6
18	Barracks	28 x 8
19	Barracks	28 x 8
20	Barracks	28 x 8
21	Barracks	28 x 8
22	Barracks	.30 x 9
23	Barracks	30 x 9
24	Barracks	30 x 9
25	Barracks	
26	Barracks	30 x 9
27	Barracks	30 x 9
28	Barracks	30 x 9
29	Barracks	52 x 13
30		52 x 13
	Barracks	52 x 8
31	Barracks	52 x 8
32	Barracks	48 x 7
33	Building	41 x 8
34	Building	7 x 6
35	Building	10 x 8
36	Building	6 x 6
37	Building	
	Building	37 x 5 23 x 6
	Pumphouse	5 x 5
	Building	
	Generator building	
	Building	32 x 14
_	Barracks	25 x 20
Ĭ.	Barracks	52 x 12
	Water tower	52 x 12
-		13 x 8
1.7	Cooling pond	15 x 15

25X1

- 3 -

TOP SECRET

25X1

Approved For Release 2003/04/29 : CIA-RDP78T04563A000400010033-7